

MANUAL OF CLINICAL ANORECTAL MANOMETRY ENGLISH Ebook

Benign anorectal diseases diagnosis with endoanal is a crucial aspect of modern proctology, enabling accurate identification and effective management of various non-cancerous conditions affecting the anal and rectal regions. This minimally invasive technique offers a detailed visualization of the anal canal and surrounding structures, facilitating precise diagnosis and guiding appropriate treatment plans. In this comprehensive guide, we will explore the significance of endoanal diagnosis, the common benign anorectal diseases it helps identify, the procedure itself, and its advantages.

Understanding Benign Anorectal Diseases and Their Importance

Benign anorectal diseases are non-malignant conditions that affect the anal and rectal areas, often causing discomfort, pain, bleeding, or other symptoms that impair quality of life. Proper diagnosis is essential to differentiate these from malignant diseases such as rectal cancer, ensuring patients receive appropriate management.

Common benign anorectal diseases include:

- Hemorrhoids
- Anal fistulas
- Perianal abscesses
- Rectal prolapse
- Anal polyps

Accurate diagnosis allows for targeted treatments, reduces unnecessary interventions, and improves patient outcomes.

What Is Endoanal Examination?

Endoanal examination, also known as endoanal ultrasonography or anal endosonography, is a diagnostic procedure that involves inserting an ultrasound probe into the anal canal to visualize the anal sphincters, rectal wall, and surrounding tissues.

Components of the Endoanal Procedure

- Preparation: The patient is typically asked to undergo bowel cleansing, and local anesthesia may be applied.
- Insertion of the probe: A lubricated, flexible or rigid ultrasound probe is gently inserted into the anal canal.
- Image acquisition: High-frequency sound waves produce detailed images of the anal sphincters, rectal wall, and perianal tissues.
- Image interpretation: The clinician evaluates the images for structural abnormalities, lesions, or defects.

This technique is often complemented with other diagnostic tools like anoscopy, proctoscopy, or MRI, depending on the clinical scenario.

Role of Endoanal Ultrasonography in Diagnosing Benign Anorectal Diseases

Endoanal ultrasonography is invaluable in diagnosing various benign conditions because it provides high-resolution images of the anal sphincter complex and rectal wall, allowing clinicians to detect subtle abnormalities that may not be apparent on physical examination alone.

Advantages of Endoanal Ultrasonography

- High sensitivity and specificity for sphincter defects and structural abnormalities
- Minimal discomfort for the patient
- Real-time imaging facilitating dynamic assessments
- Guidance for surgical planning or other interventions

Diagnosis of Specific Benign Anorectal Diseases Using Endoanal Techniques

Each benign condition has characteristic features visible on endoanal imaging, aiding in precise diagnosis.

Hemorrhoids

While hemorrhoids are primarily diagnosed clinically, endoanal ultrasound can assess associated tissue changes or complications. External or internal hemorrhoids may sometimes be visualized if they contain thrombosis or associated sphincter defects.

Anal Fissures

Although fissures are typically diagnosed via visual inspection, chronic fissures may cause muscle hypertrophy or secondary changes in the anal sphincter, identifiable via endoanal ultrasound.

Anal Fistulas and Abscesses

Endoanal ultrasonography plays a vital role in mapping fistula tracts:

- Identifies internal and external openings
- Visualizes fistula tracks and secondary branches
- Detects associated abscesses or collections

This information guides surgical intervention, such as fistulotomy or seton placement.

Rectal Prolapse

In cases of suspected rectal prolapse, endoanal ultrasound can evaluate associated sphincter integrity, detect rectal mucosal folds, or identify structural abnormalities contributing to prolapse.

Anal Polyps and Other Lesions

Endoanal ultrasound can identify benign masses or polyps within the anal canal or rectal wall, differentiating them from malignant growths based on their echogenicity and borders.

The Endoanal Procedure: Step-by-Step

A typical endoanal ultrasonography session involves several steps to ensure optimal visualization and accurate diagnosis.

Preparation

- Bowel cleansing if necessary
- Patient positioning, commonly in the left lateral decubitus or lithotomy position
- Application of topical anesthetic or local anesthesia to reduce discomfort

Probe Insertion and Imaging

- Lubricate the probe thoroughly
- Gently insert into the anal canal

- Acquire multiple images at different levels and angles
- In some cases, dynamic assessment during sphincter contraction or relaxation is performed

Interpretation and Reporting

- Evaluate sphincter integrity, thickness, and defects
- Identify fistula tracts, abscesses, or other abnormalities
- Document findings with images and descriptive reports

Clinical Applications and Benefits

Endoanal ultrasonography enhances the clinician's ability to diagnose benign anorectal diseases with greater accuracy and confidence.

Clinical Applications

- Preoperative assessment of sphincter defects, especially in incontinence cases
- Localization and mapping of fistula tracts for surgical planning
- Evaluation of perianal abscesses and their extensions
- Assessment of rectal wall abnormalities
- Monitoring post-treatment healing or recurrence

Benefits of Using Endoanal Ultrasonography

- Enhanced diagnostic precision for benign conditions
- Minimally invasive with minimal discomfort
- Facilitates tailored treatment strategies
- Reduces the need for more invasive or expensive procedures
- Allows dynamic assessment of sphincter function

Limitations and Considerations

Despite its many advantages, endoanal ultrasonography has certain limitations:

- Operator dependency; requires skilled practitioners for accurate interpretation
- Limited visualization of structures beyond the anal canal and immediate rectum
- Potential patient discomfort, especially in anxious or sensitive individuals

- Cannot definitively distinguish all benign from malignant lesions solely on imaging

In some cases, additional imaging modalities like MRI or endoscopic evaluation may be necessary for comprehensive assessment.

Conclusion

Benign anorectal diseases diagnosis with endoanal ultrasonography is a cornerstone in proctological practice, offering detailed insights into the anatomy and pathology of the anal and rectal regions. Its high-resolution imaging capabilities facilitate accurate diagnosis, guide effective treatment strategies, and improve patient outcomes. As technology advances, the role of endoanal ultrasound continues to expand, making it an indispensable tool for clinicians managing benign anorectal conditions.

Key Takeaways:

- Endoanal ultrasonography provides a minimally invasive, high-resolution view of anorectal structures.
- It is particularly effective in diagnosing fistulas, sphincter defects, abscesses, and other benign lesions.
- Proper training and experience are essential for optimal utilization.
- When combined with clinical examination and other diagnostic tools, endoanal ultrasound enhances the overall diagnostic accuracy for benign anorectal diseases.

By integrating endoanal ultrasonography into routine diagnostic protocols, healthcare providers can ensure precise, timely, and effective management of benign anorectal conditions, ultimately improving patient quality of life.

Benign anorectal diseases diagnosis with endoanal: A comprehensive review

The diagnosis of benign anorectal diseases remains a cornerstone of proctological practice, significantly impacting patient management, quality of life, and surgical outcomes. Among the diagnostic tools available, endoanal ultrasound (EAUS) also known as endoanal or endorectal ultrasound has emerged as a highly valuable modality. Its ability to provide detailed anatomical visualization of the anal sphincters, perianal tissues, and surrounding structures makes it indispensable in the assessment of various benign conditions. This review aims to elucidate the role of endoanal ultrasound in diagnosing benign anorectal diseases, exploring its principles, applications, advantages, limitations, and future perspectives.

Understanding Endoanal Ultrasound: Principles and Technique

Basics of Endoanal Ultrasound

Endoanal ultrasound involves the insertion of a high-frequency transducer into the anal canal to generate detailed cross-sectional images of the anal sphincter complex and adjacent tissues. Typically operating at frequencies between 7.5 and 12 MHz, EAUS provides high-resolution images critical for differentiating normal anatomy from pathological changes.

Procedure and Technique

Performing EAUS requires careful preparation and expertise:

- Patient Positioning: Usually in the left lateral or lithotomy position for optimal access.
- Preparation: Bowel cleansing is generally recommended to reduce artifacts; local anesthesia may be applied for patient comfort.
- Probe Insertion: The transducer is gently inserted into the anal canal, often with a lubricated condom or sheath.
- Image Acquisition: The transducer is rotated and moved to obtain multiple planes?axial, sagittal, and coronal?covering the entire anal canal and perianal tissues.
- Analysis: The images are interpreted based on the layered anatomy of the sphincter complex, vascular structures, and any abnormalities.

Benign Anorectal Diseases and Their Ultrasound Characteristics

EAUS is particularly effective in diagnosing a spectrum of benign conditions, including hemorrhoids, anal fissures, fistulas, abscesses, sphincter defects, and perianal skin tags. Each pathology exhibits characteristic features on ultrasound, aiding in accurate diagnosis and guiding therapeutic decisions.

1. Hemorrhoids

While hemorrhoids are primarily diagnosed clinically, EAUS can evaluate associated perianal vascularity and detect secondary changes such as mucosal prolapse.

- Ultrasound Features: Increased vascularity in the anal cushions; identification of mucosal prolapse and hypertrophy of the anal cushions.
- Clinical Significance: Differentiating internal hemorrhoids from other intraluminal lesions; assessing the severity and extent.

2. Anal Fissures

Anal fissures are linear ulcers typically located in the posterior midline.

- Ultrasound Findings: EAUS may show hypertrophied anal papillae or sentinel tags, but fissures are often not directly visualized unless associated with secondary tissue changes.
- Role: Primarily a clinical diagnosis; ultrasound may help exclude other causes of pain or secondary fistula formation.

3. Anal Fistulas and Abscesses

EAUS is particularly valuable in delineating the course of fistulous tracts and abscess cavities, especially when MRI is contraindicated or unavailable.

- Ultrasound Features:
 - Fistula tracts appear as hypoechoic or anechoic channels extending from the anal canal to perianal skin.
 - Abscesses are identified as hypoechoic collections with well-defined borders.
- Classification: EAUS helps classify fistulas according to Parks' classification (intersphincteric, transsphincteric, suprasphincteric, extrasphincteric).

4. Sphincter Injuries and Defects

Trauma, obstetric injury, or iatrogenic causes can lead to sphincter defects.

- Ultrasound Features:
 - Discontinuity or thinning of the internal and external sphincter muscle layers.
 - Quantitative assessment of sphincter integrity (e.g., defect size).
- Clinical Application: Critical in planning surgical repair and predicting continence outcomes.

5. Perianal Skin Tags and Other Benign Lesions

EAUS can visualize soft tissue changes like skin tags or benign tumors.

- Features: Well-circumscribed hypoechoic or hyperechoic lesions, with no invasion into surrounding tissues.
- Significance: Differentiates benign from suspicious or malignant lesions, guiding management.

Advantages of Endoanal Ultrasound in Diagnosing Benign Conditions

EAUS offers several advantages that make it a preferred modality in many clinical scenarios:

- High Resolution: Provides detailed images of sphincter muscles and perianal tissues.
- Minimally Invasive: Simple, outpatient procedure with minimal discomfort.
- Real-time Imaging: Allows dynamic assessment, including sphincter contraction and relaxation.
- Cost-effective: Less expensive than MRI, with widespread availability.
- Repeatability: Suitable for follow-up evaluations to monitor healing or recurrence.
- Complementary Role: Augments clinical examination and other imaging modalities like MRI or endoscopy.

Limitations and Challenges of Endoanal Ultrasound

Despite its strengths, EAUS has limitations that clinicians must consider:

- Operator Dependency: Accurate interpretation requires experience and training.
- Limited Soft Tissue Penetration: Less effective for evaluating extrarectal or deep pelvic structures.
- Patient Factors: Pain, anal stenosis, or prior surgeries may hinder probe insertion or image quality.
- Difficulty Visualizing Fissures: Small or superficial fissures may be missed.
- Limited in Malignant Differentiation: Cannot reliably distinguish benign from malignant lesions without adjunctive imaging or biopsy.

Integrating Endoanal Ultrasound into Clinical Practice

Proper integration of EAUS into diagnostic pathways involves understanding its role relative to other modalities:

- Complementary Use: Combine with clinical examination, anoscopy, and MRI for comprehensive assessment.
- Preoperative Planning: Sphincter defect assessment guides surgical repair techniques such as sphincteroplasty.
- Postoperative Monitoring: Detects residual or recurrent fistulas or sphincter defects.
- Patient Selection: Ideal for patients with complex fistulas, sphincter injuries, or ambiguous clinical findings.

Future Perspectives and Innovations

Advances in ultrasound technology and emerging techniques promise to expand the utility of EAUS:

- Three-Dimensional (3D) and Four-Dimensional (4D) Imaging: Enhances visualization of complex fistula tracts and sphincter defects.
- Contrast-Enhanced Ultrasound: May improve detection of subtle vascular changes or inflammatory activity.
- Elastography: Assesses tissue stiffness, potentially differentiating scar tissue from healthy muscle.
- Artificial Intelligence (AI): Machine learning algorithms could assist in image interpretation, reducing operator dependency.

Conclusion

Benign anorectal diseases diagnosis with endoanal ultrasound represents a critical component of modern proctological assessment. Its ability to provide detailed, real-time imaging of the anal sphincter complex and surrounding tissues facilitates accurate diagnosis, guides appropriate treatment strategies, and improves patient outcomes. While limitations exist, ongoing technological advancements and increased operator expertise are poised to enhance EAUS's role further. In clinical practice, a multidisciplinary approach integrating EAUS with clinical evaluation and other imaging modalities ensures comprehensive care for patients with benign anorectal conditions.

In summary, endoanal ultrasound is a versatile, minimally invasive, and highly informative diagnostic tool that significantly enhances the clinician's ability to diagnose and manage benign anorectal diseases effectively.

Question What is the role of endoanal ultrasound in diagnosing benign anorectal diseases? Endoanal ultrasound is a valuable tool for assessing benign anorectal conditions such as anal fistulas, abscesses, and sphincter integrity, providing detailed imaging of the anal sphincter muscles and surrounding tissues to aid accurate diagnosis. **Answer** How does endoanal examination help differentiate between benign and malignant anorectal diseases? Endoanal examination offers high-resolution imaging that allows clinicians to evaluate tissue characteristics, boundaries, and sphincter integrity, helping distinguish benign conditions like hemorrhoids or fistulas from malignant tumors based on their appearance and involvement. Can endoanal ultrasound detect anal sphincter defects in patients with benign anorectal diseases? Yes, endoanal ultrasound is highly effective in detecting sphincter defects, which are common in benign conditions such as anal fissures and fistulas, facilitating appropriate management and surgical planning. What are the advantages of using endoanal ultrasound over other diagnostic methods for benign anorectal conditions? Endoanal ultrasound provides real-time, high-resolution images of the anal sphincter complex and surrounding tissues, is minimally invasive, and helps in precise localization and characterization of lesions, often surpassing the diagnostic capabilities of anoscopy or MRI in certain cases. Are there limitations to

diagnosing benign anorectal diseases with endoanal ultrasound? Yes, limitations include operator dependence, difficulty in visualizing very small or deep lesions, and challenges in patients with pain or discomfort, which may affect image quality and diagnostic accuracy. How does endoanal ultrasound guide the treatment of benign anorectal diseases? Endoanal ultrasound helps in assessing the extent and nature of lesions, guiding surgical intervention, and predicting outcomes by providing detailed anatomical information essential for planning appropriate treatment strategies. Is endoanal ultrasound recommended as a first-line diagnostic tool for benign anorectal diseases? While not always the first-line, endoanal ultrasound is highly recommended when detailed sphincter assessment or complex fistula evaluation is needed, complementing clinical examination and other imaging modalities for comprehensive diagnosis.

Related keywords: benign anorectal diseases, endoanal ultrasound, anorectal imaging, anal fissure diagnosis, hemorrhoid assessment, anal abscess detection, endoscopic anorectal examination, anorectal manometry, sphincter muscle evaluation, anorectal disease management

STAPLED TRANSANAL RECTAL RESECTION WITH CONTOUR T

Stapled Transanal Rectal Resection with Contour T: An In-Depth Overview

Stapled transanal rectal resection with contour T has emerged as a significant minimally invasive surgical technique for the treatment of obstructed defecation syndrome (ODS), internal rectal prolapse, and other related rectal disorders. This innovative procedure combines the principles of transanal surgery with the use of specialized stapling devices, notably the Contour T stapler, to effectively remove redundant rectal tissue, restore normal anatomy, and improve patients' quality of life. In this comprehensive guide, we delve into the procedure's indications, technical aspects, benefits, potential risks, and postoperative considerations to provide healthcare professionals and patients with detailed insights into this advanced surgical option.

Understanding Stapled Transanal Rectal Resection with Contour T

What Is Stapled Transanal Rectal Resection?

Stapled transanal rectal resection (STARR) is a minimally invasive surgical technique designed to address internal rectal intussusception and rectal prolapse. It involves the use of a circular stapler to resect redundant rectal tissue transanally, thereby reducing the prolapse and alleviating obstructive symptoms.

The Role of Contour T in STARR Procedures

The Contour T stapler is a specialized device that facilitates precise and effective resection of rectal tissue during the STARR procedure. It features a unique design that allows for tailored tissue excision, improved maneuverability, and optimal tissue approximation. Using the Contour T enhances surgical safety and outcomes, making it a preferred choice among colorectal surgeons.

Indications for Stapled Transanal Rectal Resection with Contour T

Primary Conditions Treated

- Obstructed Defecation Syndrome (ODS): Characterized by difficulty in stool evacuation due to rectal outlet obstruction.
- Internal Rectal Prolapse / Intussusception: Where the rectal wall telescopes into the anal canal, causing symptoms.
- Rectocele: Herniation of the rectal wall leading to incomplete evacuation.
- Full-thickness Rectal Prolapse: When the entire rectal wall protrudes externally.

Patient Selection Criteria

- Patients with symptomatic internal rectal prolapse confirmed via defecography or dynamic MRI.
- Those unresponsive to conservative therapies such as pelvic floor exercises, biofeedback, or medical management.
- Absence of significant comorbidities that contraindicate surgery.
- No active anorectal infections or malignancies.

Technical Aspects of the Procedure

Preoperative Preparation

- Bowel Preparation: Clear liquid diet and rectal enemas to ensure a clean operative field.
- Imaging and Diagnostics: Defecography, anorectal manometry, and endoanal ultrasound to confirm diagnosis and surgical planning.
- Patient Counseling: Discussing risks, benefits, and postoperative expectations.

Surgical Technique Overview

- Patient Positioning: Usually in lithotomy or prone jackknife position for optimal access.
- Anorectal Inspection: Digital and anoscopic examination to assess the extent of prolapse and

tissue redundancy.

- Identification of Resection Zone: Marking the area of redundant rectal tissue to be excised.
- Insertion of the Contour T Stapler:
 - The device is introduced transanally.
 - The stapler's arms are positioned around the redundant tissue.
- Tissue Resection:
 - The surgeon activates the stapler, which excises the targeted tissue.
 - The Contour T's design allows for tailored resection, matching the patient's anatomy.
- Closure and Inspection:
 - Ensuring hemostasis.
 - Confirming the completeness of resection.
 - Performing a rectal inspection to verify no residual prolapse.

Postoperative Management

- Monitoring: Observation for bleeding, pain, and early complications.
- Diet: Gradual reintroduction of oral intake.
- Pain Control: Analgesics as needed.
- Bowel Regimen: Use of stool softeners and fiber to promote smooth defecation.

Benefits of Using Contour T in STARR

Technical Advantages

- Precision: The Contour T's design enables tailored tissue resection, matching individual patient anatomy.
- Enhanced Maneuverability: Its ergonomic features facilitate access to difficult-to-reach areas.
- Reduced Operative Time: Efficient tissue excision shortens surgery duration.
- Minimized Tissue Trauma: Precise resection reduces inadvertent injury.

Clinical Outcomes

- Significant improvement in obstructive defecation symptoms.
- Reduction in rectal intussusception and prolapse recurrence.
- Improved anorectal function and patient quality of life.

Potential Risks and Complications

While the procedure is generally safe, awareness of possible adverse events is essential:

- Bleeding: Postoperative rectal bleeding may occur, requiring intervention.
- Rectal Perforation: Rare but serious complication due to tissue or staple line injury.
- Infection: Wound or pelvic infections necessitating antibiotics or drainage.
- Staple Line Problems: Fistula formation or staple line dehiscence.
- Persistent or Recurrent Symptoms: Due to incomplete resection or other underlying functional disorders.
- Urinary or Sexual Dysfunction: Rare but possible due to nerve injury.

Postoperative Follow-Up and Outcomes

Short-term Follow-Up

- Regular clinical assessments to monitor healing.
- Early detection of complications.
- Dietary and lifestyle advice to promote bowel health.

Long-term Outcomes

- Many patients experience sustained symptom relief.
- Reoperation rates are low when performed by experienced surgeons.
- Ongoing evaluation to detect and manage recurrences or functional issues.

Comparing Contour T STARR with Other Techniques

Advantages over Traditional Methods

- Minimally Invasive: No external incisions, leading to less pain and faster recovery.
- Tailored Resection: The Contour T allows customization to individual anatomy.
- Reduced Postoperative Morbidity: Lower complication rates compared to open surgeries.
- Effective Symptom Relief: Demonstrated improvements in obstructed defecation and prolapse.

Limitations and Considerations

- Requires specialized training and experience.
- Not suitable for all patients, especially those with complex or extensive rectal disease.
- Potential need for additional interventions in case of recurrence.

Future Perspectives and Research

Ongoing research aims to:

- Refine device design for even greater precision.
- Establish standardized protocols and patient selection criteria.
- Evaluate long-term outcomes through multicenter studies.
- Develop combined approaches integrating pelvic floor therapy with surgical intervention.

Conclusion

Stapled transanal rectal resection with contour T represents a significant advancement in the surgical management of internal rectal prolapse and obstructed defecation syndrome. Its minimally invasive nature, combined with the precise tissue resection capabilities of the Contour T stapler, offers patients symptom relief with reduced recovery time and complications. As surgical techniques evolve and more evidence accumulates, this procedure is positioned to become a cornerstone in colorectal surgery for appropriately selected patients. Healthcare professionals should consider its benefits, technical nuances, and potential risks to optimize patient outcomes.

Stapled Transanal Rectal Resection with Contour T: An In-Depth Overview

Introduction

Chronic constipation, obstructed defecation syndrome (ODS), and internal rectal prolapse are common anorectal conditions that significantly impair quality of life. Over the years, minimally invasive surgical techniques have evolved to address these issues effectively, prioritizing patient comfort, reduced recovery time, and improved functional outcomes. Among these, Stapled Transanal Rectal Resection (STARR) has emerged as a pivotal procedure, especially with the

development of advanced stapling devices like the Contour T.

This article offers a comprehensive review of STARR with Contour T, exploring its principles, procedural nuances, benefits, limitations, and the current evidence supporting its use. Whether you're a colorectal surgeon, a resident, or a patient considering surgical options, this detailed insight aims to clarify why this technique has garnered attention in the field of anorectal surgery.

Understanding the Need for Stapled Transanal Rectal Resection

The Pathophysiology of Obstructed Defecation

Obstructed defecation syndrome (ODS) manifests as difficulty in stool evacuation, often accompanied by straining, incomplete evacuation, and the need for digital maneuvers. The underlying causes are multifactorial, including:

- Rectal prolapse or intussusception: Internal or external protrusion of rectal tissue.
- Rectocele: Bulging of the rectal wall into the vagina.
- Dyssynergic defecation: Dysfunctional pelvic floor muscle coordination.
- Anatomical abnormalities: Such as redundant rectal segments or internal mucosal prolapse.

Among these, internal rectal prolapse and rectal intussusception are primary targets for surgical correction, as they directly contribute to the obstructive symptoms.

The Rationale Behind Stapled Transanal Rectal Resection (STARR)

Traditional surgical options for internal rectal prolapse included rectopexy, perineal procedures, and mucosal resections. While effective, these procedures often involved open surgery, higher morbidity, or less precise tissue removal.

STARR emerged as a minimally invasive, transanal technique that combines the principles of mucosal resection with stapling technology to:

- Resect redundant rectal tissue causing prolapse or intussusception.
- Reinforce rectal wall integrity.
- Restore normal anorectal anatomy, thereby alleviating obstructive symptoms.

The procedure is performed entirely through the anal canal, avoiding abdominal incisions, which results in less postoperative pain, faster recovery, and reduced hospital stays.

Introducing the Contour T Stapler

Design and Features

The Contour T is a specialized circular stapler designed explicitly for transanal rectal procedures. Its key features include:

- Anatomically contoured shape: Designed to conform to the rectal lumen, facilitating precise tissue capture.
- Multiple firing options (up to three): Allows for tailored resections, especially in complex or elongated rectal prolapse cases.
- Enhanced tissue compression: Ensures secure staple formation and minimizes bleeding.
- Integrated cutting and stapling mechanism: Enables simultaneous resection and closure.
- Adjustable staple height: Accommodates varying tissue thicknesses, optimizing staple line integrity.

Advantages Over Traditional Staplers

Compared to earlier models, the Contour T provides:

- Better conformability to rectal anatomy.
- Increased flexibility for complex resections.
- Reduced risk of staple line failure.
- Improved surgeon ergonomics and ease of use.

Procedural Technique: Step-by-Step Overview

Preoperative Preparation

- Patient evaluation: Assessment includes anorectal manometry, defecography, and endoscopy.
- Bowel prep: Standard laxative regimen to clear the rectum.
- Informed consent: Discussion of risks, benefits, and alternatives.

Surgical Steps

- Patient positioning: Usually in lithotomy or prone jackknife position.
- Anorectal examination: Digital and anoscopic assessment to determine the extent of prolapse.

- Insertion of anoscope and visualization: Ensures accurate targeting of the redundant tissue.
- Identification of resection margins: Usually 2-4 cm above the dentate line, depending on the prolapse's extent.
- Tissue grasping: The surgeon uses the Contour T stapler to engage the redundant rectal wall, ensuring inclusion of the prolapsed segment.
- First firing: The stapler is fired to resect the targeted tissue, with the device's design allowing for subsequent firings if needed.
- Additional resections: If necessary, the surgeon can perform up to three sequential firings to remove elongated or multiple prolapsed segments.
- Hemostasis and inspection: Careful examination of the staple line to ensure hemostasis and integrity.
- Postoperative management: Patients are monitored for bleeding, pain, and bowel function.

Clinical Benefits of STARR with Contour T

Symptom Relief and Functional Outcomes

- Reduction in obstructed defecation symptoms: Patients often report significant improvement in straining, sensation of incomplete evacuation, and need for digital maneuvers.
- Anorectal anatomy restoration: Imaging studies post-procedure show decreased rectal prolapse or intussusception.
- Enhanced quality of life: Many patients experience sustained symptom relief, translating into better daily functioning.

Advantages of the Technique and Device

- Minimally invasive approach: No abdominal incisions, leading to less postoperative pain.
- Precision tissue removal: The Contour T's design allows for targeted resection, minimizing unnecessary tissue loss.
- Reduced operative time: Streamlined steps with the device's ease of use.
- Lower complication rates: Secure staple formation reduces bleeding and postoperative complications like pain or stenosis.
- Repeatability: The possibility of multiple firings enables tailored resections based on individual anatomy.

Limitations and Challenges

While STARR with Contour T offers numerous benefits, some limitations include:

- Learning curve: Surgeons require dedicated training to optimize outcomes.
- Not suitable for all patients: Those with significant external prolapse, fistulas, or severe fibrosis may need alternative approaches.
- Potential for complications: Staple line bleeding, pain, rectal stenosis, or inadvertent resection of healthy tissue.
- Recurrence risk: Like all surgical procedures, there's a possibility of symptom recurrence, especially if underlying functional issues persist.
- Limited long-term data: Although initial results are promising, long-term outcomes are still being evaluated.

Current Evidence and Outcomes

Clinical Studies

Multiple studies have evaluated STARR with devices like Contour T, demonstrating:

- Symptom improvement in over 80% of patients.
- Significant reduction in rectal prolapse and intussusception confirmed via imaging.
- Low complication rates (
- Durability of results at 2-5 years follow-up.

Comparative Analyses

Recent comparisons suggest that the Contour T stapler may:

- Offer better conformability and resection precision than earlier devices.
- Reduce operative time and postoperative discomfort.
- Improve the completeness of resection in complex or elongated prolapses.

Future Perspectives

Advancements in stapling technology, combined with better understanding of functional anorectal disorders, continue to refine the role of STARR with Contour T. Ongoing research focuses on:

- Patient selection criteria to optimize outcomes.
- Combination procedures addressing both anatomical and functional aspects.
- Long-term follow-up to assess durability and recurrence rates.
- Integration with imaging and manometry for personalized surgical planning.

Conclusion

Stapled Transanal Rectal Resection with Contour T represents a significant evolution in the surgical management of obstructed defecation and internal rectal prolapse. Its innovative design, combined with minimally invasive principles, offers a promising solution for suitable patients, providing symptom relief, anatomical correction, and rapid recovery.

However, like all surgical interventions, success depends on careful patient selection, surgeon expertise, and adherence to best practices. As evidence continues to accumulate, STARR with Contour T is poised to become a cornerstone in the tailored management of complex anorectal disorders.

Final Thoughts

If you're considering surgical options for obstructed defecation or rectal prolapse, consult with a specialized colorectal surgeon experienced in transanal procedures. The choice of technique should be individualized, weighing the benefits of minimally invasive resection with the potential risks. With ongoing innovations like the Contour T stapler, patients now have access to effective, less invasive solutions to restore normal bowel function and improve quality of life.

Question What is stapled transanal rectal resection with Contour T used for? It is a minimally invasive surgical procedure primarily used to treat obstructed defecation syndrome caused by rectal prolapse or internal intussusception. How does the Contour T stapler improve the STARR procedure? The Contour T stapler provides a tailored, precise excision of the redundant rectal tissue, reducing recurrence rates and improving functional outcomes compared to traditional staplers. What are the advantages of using stapled transanal rectal resection with Contour T? Advantages include reduced postoperative pain, shorter hospital stay, quicker recovery, less tissue trauma, and improved symptom relief for patients. Are there any specific risks associated with the STARR procedure using Contour T? Potential risks include bleeding, anal stenosis, persistent constipation, or rectal perforation, although these are rare with proper technique and patient selection. Who are ideal candidates for stapled transanal rectal resection with Contour T? Patients suffering from obstructed defecation syndrome due to rectal prolapse, internal intussusception, or rectocele who have failed conservative treatments are considered suitable candidates. How does the recovery process look after STARR with Contour T? Recovery typically involves a few days of rest, with most patients resuming normal activities within a week, and experiencing significant symptom improvement within a few weeks. What is the success rate of the Contour T STARR procedure? Studies report success rates ranging from 80% to 90% in relieving obstructed defecation symptoms with minimal complications. Are there any recent innovations or research trends related to Contour T in STARR procedures? Recent research focuses on optimizing surgical techniques, reducing complication rates, and evaluating long-term outcomes, with innovations aimed at enhancing device design and patient selection criteria.

Related keywords: rectal prolapse, transanal surgery, stapled transanal rectal resection, Contour T, minimally invasive rectal surgery, prolapse treatment, rectal mucosectomy, surgical stapler, anorectal disorders, rectal prolapse repair

Read the full article online: [STAPLED TRANSANAL RECTAL RESECTION WITH CONTOUR T](#)

the sages manual of colorectal surgery

The SAGES Manual of Colorectal Surgery is an essential resource for surgeons, residents, and medical professionals involved in the diagnosis, treatment, and surgical management of colorectal diseases. This comprehensive manual offers detailed insights into the latest techniques, evidence-based practices, and fundamental principles that underpin successful colorectal surgeries. Its structured approach and authoritative content make it a go-to guide for both clinical reference and educational purposes.

Overview of the SAGES Manual of Colorectal Surgery

The SAGES Manual of Colorectal Surgery is published by the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES), an organization dedicated to advancing minimally invasive surgical techniques. The manual serves as a practical guide that combines core surgical principles with innovative approaches, emphasizing minimally invasive procedures such as laparoscopic and robotic surgeries.

The manual covers a broad spectrum of topics, including benign and malignant colorectal conditions, preoperative planning, surgical techniques, postoperative management, and emerging technologies. Its aim is to improve patient outcomes through meticulous surgical practice and continuous learning.

Key Features of the Manual

Comprehensive Content Coverage

The manual encompasses a wide array of topics such as:

- Colorectal cancer management
- Diverticular disease treatment

- Inflammatory bowel disease (IBD) surgeries
- Pelvic floor disorders
- Benign colorectal conditions
- Laparoscopic and robotic techniques
- Perioperative care and enhanced recovery protocols

Evidence-Based Approach

The manual integrates current research findings, clinical guidelines, and consensus statements, ensuring that practitioners are equipped with the latest knowledge to make informed decisions.

Step-by-Step Surgical Techniques

Detailed descriptions, illustrations, and intraoperative tips guide surgeons through complex procedures, fostering confidence and precision in surgical practice.

Focus on Minimally Invasive Surgery

Given the shift towards less invasive techniques, the manual emphasizes laparoscopic and robotic approaches, including patient selection, operative strategies, and troubleshooting.

Core Topics Covered in the Manual

1. Colorectal Cancer

The manual discusses principles of oncologic resection, including:

- Preoperative staging and assessment
- Principles of total mesorectal excision (TME)
- Laparoscopic and robotic resections
- Management of metastatic disease
- Margins and lymph node retrieval

2. Diverticular Disease

Approaches to diverticulitis and diverticulosis are covered, focusing on:

- Indications for elective resection
- Minimally invasive techniques

- Complication management

3. Inflammatory Bowel Disease (IBD)

The manual provides guidance on:

- Surgical options for Crohn's disease and ulcerative colitis
- Proctocolectomy procedures
- Strictureplasty and pouch surgeries

4. Pelvic Floor Disorders

Topics include surgeries for:

- Rectal prolapse
- Fecal incontinence
- Pelvic floor reconstruction techniques

5. Benign Conditions and Adult Hemorrhoids

Includes management strategies for benign anorectal conditions, emphasizing minimally invasive options and postoperative care.

Modern Techniques Highlighted in the Manual

Laparoscopic Colorectal Surgery

The manual discusses:

- Patient positioning
- Port placement strategies
- Step-by-step dissection techniques
- Specimen extraction and anastomosis

Robotic-Assisted Surgery

Coverage includes:

- Advantages over traditional laparoscopy
- Robotic platform setup
- Specific procedures suited for robotic assistance
- Overcoming technical challenges

Enhanced Recovery After Surgery (ERAS)

The manual emphasizes ERAS protocols to reduce hospital stay, improve recovery, and minimize complications, highlighting:

- Optimized anesthesia
- Early mobilization and feeding
- Pain management strategies

Preoperative Planning and Patient Selection

Proper preoperative assessment is crucial for successful colorectal surgery. The manual advocates for:

- Thorough clinical evaluation
- Imaging studies such as CT scans, MRI, and endorectal ultrasound
- Staging and grading of tumors
- Assessment of comorbidities and nutritional status
- Patient counseling on surgical options and expected outcomes

Postoperative Care and Complication Management

Effective postoperative management reduces morbidity and enhances recovery:

- Monitoring for surgical site infections and anastomotic leaks
- Managing bowel function and pain
- Implementing early mobilization
- Addressing common complications such as ileus, bleeding, and wound issues

Emerging Technologies and Future Directions

The manual also explores innovative developments shaping the future of colorectal surgery:

- Use of fluorescence imaging for perfusion assessment
- Single-incision laparoscopic techniques
- Natural orifice transluminal endoscopic surgery (NOTES)
- Artificial intelligence and machine learning in surgical planning
- Biologic and regenerative therapies

Educational and Training Value

The SAGES manual is invaluable for surgical education:

- Provides clear, illustrated procedural guides
- Includes troubleshooting tips for intraoperative challenges
- Supports simulation and hands-on training programs
- Encourages adoption of minimally invasive techniques

Conclusion

The SAGES Manual of Colorectal Surgery stands as a definitive reference that blends foundational knowledge with cutting-edge innovations. It emphasizes meticulous surgical technique, patient-centered care, and continuous learning to optimize outcomes in colorectal disease management. Whether used as a clinical guide or an educational resource, this manual equips practitioners with the tools necessary to excel in the evolving landscape of colorectal surgery.

Keywords: SAGES manual, colorectal surgery, minimally invasive techniques, laparoscopic colorectal surgery, robotic colorectal surgery, colorectal cancer, diverticular disease, IBD surgery, pelvic floor disorders, surgical education, postoperative care

The SAGES Manual of Colorectal Surgery: An Expert Review

In the ever-evolving landscape of minimally invasive and complex colorectal procedures, the SAGES Manual of Colorectal Surgery stands out as an essential resource for both seasoned surgeons and those in training. As a comprehensive, evidence-based guide, this manual synthesizes the latest techniques, clinical insights, and best practices, making it a vital addition to any surgical library. This article offers an in-depth review of the manual's content, structure, and utility, examining its contributions to the field of colorectal surgery.

Introduction to the SAGES Manual of Colorectal Surgery

The Society of American Gastrointestinal and Endoscopic Surgeons (SAGES) has long been recognized for its commitment to advancing minimally invasive surgery. The SAGES Manual of

Colorectal Surgery is a product of this dedication, aiming to bridge the gap between complex surgical techniques and practical application. It is designed to serve as both a reference and a teaching aid, integrating current evidence, step-by-step procedural guidance, and expert insights.

This manual addresses a broad spectrum of colorectal conditions, from common diseases like diverticulitis and hemorrhoids to more complex malignancies and inflammatory bowel disease. Its goal is to equip surgeons with the knowledge necessary to optimize patient outcomes through safe, effective, and innovative surgical approaches.

Structure and Organization of the Manual

The manual is meticulously organized into sections that mirror the continuum of colorectal care. This logical structure enhances its usability, allowing surgeons to quickly locate relevant chapters and procedures.

- Foundations of Colorectal Surgery

This section covers anatomy, physiology, and pathophysiology. It provides foundational knowledge essential for understanding surgical indications and planning.

- Preoperative Management

Includes patient assessment, imaging, staging, and preparation strategies, emphasizing the importance of multidisciplinary care.

- Surgical Techniques and Procedures

The core of the manual, detailing both open and minimally invasive approaches with step-by-step instructions, illustrations, and tips.

- Special Topics

Addresses complex scenarios such as pelvic autonomic nerve preservation, stoma creation and management, and salvage procedures.

- Postoperative Care and Complications

Focuses on postoperative management, recognizing and managing complications, and enhancing recovery protocols.

Key Features and Highlights

The manual's value lies in its comprehensive coverage combined with practical insights. Here are some of its most notable features:

A. Evidence-Based Approach

Each chapter references current literature, guidelines, and consensus statements, ensuring that recommendations reflect the latest standards of care.

B. Step-by-Step Technique Guides

Detailed procedural descriptions are supplemented with high-quality illustrations and photographs. These visual aids clarify complex steps and serve as excellent teaching tools.

C. Focus on Minimally Invasive Surgery

Given SAGES' emphasis, the manual extensively covers laparoscopic, robotic, and transanal approaches, highlighting technical nuances and troubleshooting tips.

D. Inclusion of Emerging Technologies

The manual discusses innovative technologies such as fluorescence imaging, advanced stapling devices, and novel anastomotic techniques, preparing surgeons for future advancements.

E. Practical Tips and Pearls

Throughout the chapters, authors share expert tips, common pitfalls, and troubleshooting advice, helping practitioners avoid complications and refine their skills.

Detailed Content Analysis

To appreciate the depth of the SAGES Manual of Colorectal Surgery, it is instructive to examine its key sections.

Colorectal Anatomy and Physiology

A thorough understanding of the anorectal and colonic anatomy is fundamental. The manual

dedicates significant space to detailed descriptions, including vascular supply, nerve pathways, and lymphatic drainage, which are crucial for oncologic resections and nerve preservation.

Key topics include:

- Mesorectal fascia and its significance in rectal cancer surgery
- Pelvic autonomic nerves and techniques to preserve them
- Variations in vascular anatomy influencing resection and anastomosis

Common and Complex Procedures

This section offers expansive coverage on procedures such as:

- Low Anterior Resection (LAR): The manual details the steps involved in minimally invasive LAR, emphasizing mesorectal excision, nerve preservation, and anastomotic techniques.
- Abdominoperineal Resection (APR): Tips on pelvic dissection, perineal approach, and stoma creation are provided.
- Diverticulitis Management: From simple sigmoidectomy to complex resection in complicated cases, including laparoscopic approaches.
- Hemorrhoidectomy and Fistula Surgery: Modern techniques, including transanal hemorrhoidal dearterialization and fistula-in-ano interventions, are presented.

Minimally Invasive and Robotic Approaches

The manual dedicates considerable attention to the nuances of laparoscopic and robotic colorectal surgery:

- Port placement strategies
- Dissection planes
- Use of intraoperative navigation tools
- Managing intraoperative challenges

It emphasizes the importance of mastery in minimally invasive techniques to reduce recovery time, postoperative pain, and complications.

Transanal and NOTES Techniques

Emerging approaches like transanal minimally invasive surgery (TAMIS) and Natural Orifice

Transluminal Endoscopic Surgery (NOTES) are covered with detailed procedural steps, patient selection criteria, and outcomes data.

Postoperative Management and Complication Prevention

Effective postoperative care is vital. The manual provides guidance on:

- Enhanced recovery after surgery (ERAS) protocols
- Stoma management and reversal
- Recognizing early signs of complications such as anastomotic leaks, bleeding, and infections
- Strategies for long-term functional outcomes, including bowel, urinary, and sexual function preservation

The emphasis on complication prevention and management underscores its role as a practical guide for improving patient safety.

Educational Utility and Audience

The SAGES Manual of Colorectal Surgery caters to a diverse audience:

- Surgeons in training: As a comprehensive educational resource, it provides detailed procedural descriptions and illustrations ideal for residents and fellows.
- Practicing colorectal and general surgeons: It serves as a quick-reference guide and a refresher on advanced techniques.
- Specialists in minimally invasive surgery: Its focus on laparoscopic and robotic approaches makes it valuable for those expanding into advanced endoscopic techniques.

Its high-quality images, concise summaries, and evidence citations make it suitable for both academic settings and clinical practice.

Strengths and Limitations

Strengths:

- Comprehensive coverage of colorectal conditions and procedures
- Clear, step-by-step procedural guidance supplemented by high-quality visuals
- Focus on minimally invasive and emerging techniques
- Evidence-based recommendations and expert insights

- Practical tips and troubleshooting advice

Limitations:

- As a manual, it may lack the depth of a dedicated textbook for complex research topics
- Rapid technological advancements may outpace some content, necessitating ongoing updates
- Focused primarily on surgical techniques, with limited coverage of non-operative management

Conclusion: Is the SAGES Manual of Colorectal Surgery a Must-Have?

In the realm of colorectal surgery, staying current with evolving techniques and guidelines is paramount. The SAGES Manual of Colorectal Surgery excels in distilling complex procedures into accessible, practical guidance that reflects contemporary practices. Its emphasis on minimally invasive approaches, combined with detailed procedural descriptions and expert tips, makes it an invaluable resource for surgeons aiming to enhance their skills and improve patient outcomes.

Whether you are a resident learning the basics, a practicing surgeon refining advanced techniques, or a specialist exploring new frontiers in minimally invasive surgery, this manual offers a comprehensive, authoritative reference. Its integration of evidence-based medicine with practical insights ensures that it remains relevant and useful in the dynamic field of colorectal surgery.

In summary, the SAGES Manual of Colorectal Surgery is more than just a textbook—it's a practical companion that can elevate surgical practice, foster confidence in complex procedures, and ultimately contribute to better patient care in colorectal disease management.

Question What are the key principles outlined in The SAGES Manual of Colorectal Surgery? The manual emphasizes minimally invasive techniques, patient-centered care, detailed anatomical understanding, and evidence-based practices to optimize outcomes in colorectal surgery. **Answer** How does The SAGES Manual recommend managing complex colorectal anastomoses? It advocates for meticulous surgical technique, intraoperative assessment of perfusion, and the use of advanced tools like fluorescence imaging to ensure anastomotic integrity and reduce leaks. What are the current best practices for colorectal cancer resection according to the manual? The manual recommends complete mesocolic excision, adequate lymphadenectomy, and the use of minimally invasive approaches when feasible to improve oncologic outcomes. How does the manual address the management of diverticular disease? It suggests a tailored approach based on disease severity, emphasizing conservative management for uncomplicated cases and recommending surgical intervention for recurrent or complicated diverticulitis. What innovations in colorectal surgery are highlighted in The SAGES Manual? The manual discusses advancements like robotic-assisted surgery, enhanced imaging techniques, and new stapling devices aimed at improving precision and

patient recovery. How does The SAGES Manual recommend handling minimally invasive procedures in obese patients? It recommends specialized port placement, careful patient positioning, and preoperative optimization to overcome technical challenges and ensure safety during minimally invasive colorectal surgeries.

Related keywords: colorectal surgery, surgical techniques, bowel surgery, colorectal anatomy, minimally invasive surgery, colorectal cancer, surgical guidelines, rectal surgery, colorectal procedures, surgical manuals

Read the full article online: [THE SAGES MANUAL OF COLORECTAL SURGERY](#)

Colorectal Surgery Clinical Care And Management E

Colorectal Surgery Clinical Care and Management E: An In-Depth Overview

Colorectal surgery clinical care and management e is a specialized field dedicated to the diagnosis, treatment, and postoperative care of conditions affecting the colon, rectum, and anus. This discipline encompasses a broad spectrum of diseases, from benign conditions like hemorrhoids to life-threatening malignancies such as colorectal cancer. As the prevalence of colorectal diseases continues to rise globally, advancements in clinical care and management strategies are vital to improving patient outcomes, reducing complications, and enhancing quality of life.

This comprehensive guide aims to shed light on the essential aspects of colorectal surgery clinical care and management, emphasizing evidence-based practices, innovative approaches, and patient-centered care strategies. Whether you are a healthcare professional, a medical student, or a patient seeking detailed information, understanding these core principles is crucial for optimal management.

Understanding the Scope of Colorectal Surgery

Colorectal surgery covers a diverse range of conditions, including:

- Colorectal cancer: The third most common cancer worldwide.
- Inflammatory bowel disease (IBD): Crohn's disease and ulcerative colitis.
- Diverticular disease: Diverticulitis and related complications.
- Hemorrhoidal disease: Hemorrhoids and anal fissures.

- Anorectal abscesses and fistulas
- Congenital anomalies: Hirschsprung's disease and anorectal malformations.
- Benign tumors and polyps

Effective clinical care involves accurate diagnosis, appropriate surgical intervention, and comprehensive postoperative management tailored to each condition.

Preoperative Clinical Care and Management

Proper preoperative management sets the foundation for successful surgical outcomes. Key components include:

Patient Evaluation and Diagnostic Workup

- History and Physical Examination: Identifying symptoms such as rectal bleeding, altered bowel habits, pain, or anemia.
- Laboratory Tests: Complete blood count, liver function tests, tumor markers (e.g., CEA).
- Imaging Studies:
 - Colonoscopy: Gold standard for diagnosis of colorectal lesions.
 - Pelvic MRI/CT scans: Assessment of tumor staging and local invasion.
 - Endorectal ultrasound: Useful for rectal tumors.
 - Biopsy: Confirmatory histopathology of suspected malignancies.

Risk Stratification and Optimization

- Assess comorbidities: Diabetes, cardiovascular diseases, and nutritional status.
- Preoperative bowel preparation: Typically involves mechanical bowel prep combined with oral antibiotics to reduce infectious complications.
 - Nutritional support: Address malnutrition or anemia to improve healing potential.
 - Patient education: Informing about the procedure, potential risks, and postoperative expectations.

Multidisciplinary Approach

A successful preoperative plan involves a team comprising surgeons, gastroenterologists, radiologists, anesthesiologists, and nursing staff to tailor individualized care plans.

Intraoperative Management in Colorectal Surgery

The surgical phase demands meticulous technique and adherence to safety protocols to minimize complications.

Key Surgical Principles

- Adequate exposure and visualization
- Precise dissection and clear margins, especially in oncologic cases
- Maintenance of tissue perfusion and minimal trauma
- Ensuring hemostasis
- Proper anastomosis technique to prevent leaks

Advances in Surgical Techniques

- Minimally invasive surgery: Laparoscopic and robotic-assisted procedures reduce postoperative pain, hospital stay, and recovery time.
- Enhanced recovery after surgery (ERAS) protocols: Emphasize goal-directed fluid therapy, early mobilization, and early enteral nutrition.
- Intraoperative imaging and navigation: Use of fluorescence, intraoperative ultrasound, or real-time imaging to improve precision.

Postoperative Care and Management

Postoperative management aims to facilitate recovery, detect complications early, and plan subsequent treatments.

Immediate Postoperative Care

- Monitoring: Vital signs, fluid balance, and pain control.
- Pain management: Multimodal analgesia to reduce opioid use.
- Early mobilization: Reduces risks of deep vein thrombosis and pulmonary complications.
- Nutritional support: Gradual reintroduction of diet based on bowel function.

Managing Common Postoperative Complications

- Anastomotic leaks: Signs include fever, tachycardia, abdominal pain, and peritonitis; require prompt diagnosis and intervention.
- Infections: Surgical site infections and intra-abdominal abscesses.

- Bowel obstruction: Due to adhesions or anastomotic strictures.
- Bleeding: Hemorrhage from the surgical site or anastomosis.

Long-term Follow-up and Rehabilitation

- Surveillance for colorectal cancer: Regular colonoscopies and imaging as per guidelines.
- Managing bowel function: Addressing incontinence, diarrhea, or constipation.
- Psychosocial support: Essential for patient recovery and quality of life.

Special Considerations in Colorectal Clinical Care and Management

Oncologic Management

- Staging and treatment planning: Using TNM classification to guide neoadjuvant therapy, surgery, and adjuvant chemotherapy.
- Surgical margins: Achieving clear margins to reduce recurrence.
- Lymph node retrieval: Adequate lymphadenectomy for staging accuracy.

Inflammatory Bowel Disease (IBD) Management

- Surgical indications: Refractory disease, dysplasia, or malignancy.
- Surgical options: Colectomy, proctocolectomy, and ileal pouch-anal anastomosis (IPAA).
- Postoperative care: Managing pouch function and preventing complications.

Benign Conditions and Functional Disorders

- Hemorrhoids: Conservative measures, rubber band ligation, or hemorrhoidectomy.
- Fistulas and abscesses: Seton placement, fistulotomy, or advanced techniques.
- Chronic constipation: Surgical options like colectomy or rectal procedures when appropriate.

Emerging Trends and Future Directions in Colorectal Surgery

The field continues to evolve with innovations aimed at improving patient outcomes:

- Robotic surgery: Enhanced dexterity and visualization.
- Precision medicine: Tailoring treatments based on genetic and molecular profiling.

- Enhanced recovery protocols: Further reducing hospital stays and improving patient satisfaction.
- Artificial intelligence: Improving diagnostics, surgical planning, and postoperative monitoring.
- Biological therapies: Adjuncts in managing inflammatory and neoplastic diseases.

Conclusion

Effective **colorectal surgery clinical care and management** require a multidisciplinary, patient-centered approach that encompasses accurate diagnosis, advanced surgical techniques, comprehensive perioperative care, and vigilant follow-up. Staying abreast of the latest innovations and best practices ensures optimal outcomes and enhances the quality of life for patients suffering from colorectal conditions. As research progresses, the future of colorectal surgery promises even more refined, less invasive, and personalized care strategies that will benefit patients worldwide.

Colorectal Surgery Clinical Care and Management: A Comprehensive Guide

Colorectal surgery is a specialized field within general surgery that focuses on the diagnosis, treatment, and management of disorders affecting the colon, rectum, and anus. Given the complexity and diversity of conditions encountered in this domain, effective clinical care requires a multidisciplinary approach, meticulous preoperative planning, precise surgical techniques, and comprehensive postoperative management. This guide aims to provide an in-depth overview of colorectal surgery clinical care and management, offering insights into best practices, recent advances, and critical considerations for practitioners involved in this vital area of surgical care.

Understanding the Scope of Colorectal Surgery

The scope of colorectal surgery encompasses a broad spectrum of conditions, including benign diseases like hemorrhoids and diverticulitis, as well as malignant tumors such as colorectal cancer. It also involves the management of inflammatory bowel diseases like Crohn's disease and ulcerative colitis, anorectal disorders, and conditions related to pelvic floor dysfunction.

Key Aspects of Clinical Care in Colorectal Surgery:

- Patient assessment and diagnosis
- Preoperative optimization
- Surgical intervention
- Postoperative care and rehabilitation
- Long-term follow-up and survivorship care

Preoperative Evaluation and Optimization

Effective management begins before the patient enters the operating room. Comprehensive preoperative evaluation ensures that patients are optimally prepared, risks are minimized, and surgical outcomes are improved.

Patient History and Physical Examination

A thorough history and physical exam are foundational. Important considerations include:

- Symptom duration, severity, and impact on quality of life
- Past medical history, including comorbidities like cardiovascular disease, diabetes, and renal impairment
- Previous surgeries, especially abdominal or pelvic procedures
- Medication history, including anticoagulants and immunosuppressants
- Family history of colorectal cancer or hereditary syndromes
- Lifestyle factors such as smoking, alcohol use, and diet

Physical examination should focus on:

- Abdomen assessment for masses, tenderness, or distension
- Anorectal examination for hemorrhoids, fistulas, fissures, and masses
- Digital rectal examination to evaluate rectal tone and detect tumors

Diagnostic Workup

The diagnostic pathway involves multiple modalities:

- Laboratory Tests: Complete blood count, liver function tests, renal function, tumor markers (CEA)
- Imaging Studies:
 - Colonoscopy: The gold standard for direct visualization and biopsy
 - Pelvic MRI or Endorectal Ultrasound: Critical for staging rectal cancer
 - CT scans: Abdominal and pelvic CT for staging and detecting metastases
 - Barium Enema or CT colonography: Alternative imaging options if colonoscopy is incomplete
 - Biopsy: Confirmatory tissue diagnosis for suspected malignancies

Preoperative Optimization

Patients should undergo measures to reduce surgical risks:

- Nutritional assessment and correction of deficiencies
- Management of comorbidities such as diabetes and hypertension
- Smoking cessation programs
- Bowel preparation protocols (e.g., mechanical bowel prep, antibiotics)
- Thromboprophylaxis with anticoagulants or compression devices
- Consideration of neoadjuvant therapy in rectal cancer

Surgical Management Strategies

The choice of surgical procedure is dictated by the diagnosis, disease extent, and patient factors. The primary goals are complete disease removal, preservation of function, and minimization of complications.

Common Surgical Procedures

- Colectomy: Resection of the diseased colon segment
- Low Anterior Resection (LAR): For rectal cancers, preserving the anal sphincter
- Abdominoperineal Resection (APR): For low rectal tumors requiring permanent colostomy
- Proctectomy: Removal of the rectum in benign and malignant conditions
- Hemorrhoidectomy: For symptomatic hemorrhoids
- Fistula and fissure repairs: For anorectal fistulas and fissures
- Diverting Ostomy: To divert fecal flow in select cases, such as low rectal cancer or complicated diverticulitis

Minimally Invasive Techniques

Laparoscopic and robotic-assisted surgeries have become standard in many centers, offering benefits such as:

- Reduced postoperative pain
- Shorter hospital stay
- Faster recovery
- Improved cosmetic outcomes

The decision between open and minimally invasive approaches depends on surgeon expertise, disease complexity, and patient factors.

Key Principles of Surgical Management

- Clear oncologic margins for cancer resections
- Adequate lymphadenectomy
- Preservation of autonomic nerves to maintain urinary and sexual function
- Tension-free anastomosis to prevent leaks
- Adequate blood supply to the anastomotic segments

Postoperative Care and Rehabilitation

Postoperative management is crucial for optimizing recovery, preventing complications, and ensuring long-term functional outcomes.

Immediate Postoperative Care

- Monitoring vital signs, fluid balance, and drain output
- Early mobilization to reduce thromboembolic risk
- Pain control tailored to patient needs
- Nutritional support: progressing from clear liquids to a regular diet
- Vigilance for complications such as bleeding, infection, anastomotic leak, or ileus

Managing Specific Postoperative Issues

- Anastomotic Leak: Presents with tachycardia, fever, abdominal pain, or sepsis; requires prompt diagnosis and management
- Wound Care: Prevent infection through proper hygiene and wound management
- Bowel Function: Monitoring for ileus or diarrhea; addressing issues with diet or medications
- Stoma Care: Education for patients with temporary or permanent stomas

Rehabilitation and Functional Outcomes

- Pelvic floor physiotherapy for incontinence or pelvic floor weakness
- Bowel training programs
- Sexual health counseling for nerve-sparing surgeries
- Psychological support addressing body image and quality of life

Long-term Follow-up and Surveillance

For malignant conditions, ongoing surveillance is vital to detect recurrences early and manage sequelae.

Follow-up Protocols

- Regular physical exams and symptom assessment
- Periodic CEA testing for colorectal cancer patients
- Colonoscopy at intervals based on initial pathology
- Imaging studies as indicated

Management of Chronic Complications

- Bowel dysfunction or incontinence
- Strictures or adhesions
- Stoma-related issues
- Recurrence or metastasis

Emerging Trends and Future Directions in Colorectal Surgery

Advances in technology and understanding of disease biology are shaping the future of colorectal care:

- Enhanced Recovery After Surgery (ERAS) protocols: To optimize perioperative outcomes
- Robotic surgery: Increasing precision and access to complex cases
- Personalized medicine: Tailoring treatments based on genetic and molecular tumor profiles
- Minimally invasive endoscopic therapies: For early-stage cancers and benign lesions
- Biological agents and immunotherapy: Adjuncts in neoadjuvant and adjuvant settings

Conclusion

Effective colorectal surgery clinical care and management hinges on a multidisciplinary approach that emphasizes meticulous preoperative assessment, strategic surgical intervention, and comprehensive postoperative care. Staying abreast of technological innovations and evidence-based practices enables clinicians to improve patient outcomes, preserve function, and enhance quality of life for individuals affected by colorectal diseases. As research progresses, the integration of personalized and minimally invasive strategies promises to further refine care standards in this dynamic field.

QuestionAnswer What are the current best practices for preoperative assessment in colorectal surgery? Preoperative assessment in colorectal surgery includes comprehensive evaluation of the patient's medical history, physical examination, lab tests such as complete blood count and

metabolic panels, imaging studies like CT scans or MRI as needed, and colonoscopy for lesion characterization. Optimization of comorbidities, smoking cessation, and nutritional support are also emphasized to reduce postoperative complications. How is Enhanced Recovery After Surgery (ERAS) protocol implemented in colorectal procedures? ERAS protocols involve multidisciplinary approaches including minimal fasting, carbohydrate loading, multimodal pain management, early mobilization, and early oral intake. These strategies aim to reduce surgical stress, improve recovery times, and decrease hospital stay without increasing complication rates. What are the latest advancements in minimally invasive techniques for colorectal surgery? Recent advancements include robotic-assisted colorectal surgery, single-incision laparoscopic approaches, and improved instrumentation that enhance precision and ergonomics. These techniques are associated with reduced postoperative pain, quicker recovery, and comparable oncological outcomes to traditional open surgery. How should postoperative complications be managed in colorectal patients? Management depends on the specific complication but generally involves prompt recognition and intervention. Common strategies include antibiotics for infections, drainage or re-operation for leaks or abscesses, nutritional support, and careful monitoring. Early detection through vigilant assessment reduces morbidity and improves outcomes. What are the current guidelines for colorectal cancer screening and surveillance? Guidelines recommend screening starting at age 45-50 with options such as colonoscopy every 10 years, stool-based tests annually, or sigmoidoscopy at recommended intervals. High-risk individuals may require earlier and more frequent screening. Surveillance intervals depend on initial findings and risk factors. What role does multidisciplinary teamwork play in colorectal surgical care? Multidisciplinary teams including surgeons, gastroenterologists, radiologists, pathologists, and oncologists are essential for comprehensive care. They collaborate on diagnosis, surgical planning, adjuvant therapy, and follow-up, leading to improved patient outcomes and personalized treatment strategies. How is patient education integrated into colorectal surgical management? Patient education involves informing patients about their condition, surgical procedures, potential risks, and recovery expectations. Preoperative counseling, postoperative instructions, and lifestyle modifications are emphasized to enhance compliance, reduce anxiety, and promote optimal recovery.

Related keywords: colorectal surgery, clinical care, management, bowel disease, rectal cancer, colon surgery, minimally invasive techniques, postoperative care, colorectal tumors, surgical rehabilitation

Read the full article online: [Colorectal surgery clinical care and management e](#)

ANUS SURGICAL TREATMENT AND PATHOLOGY

anus surgical treatment and pathology encompass a broad spectrum of conditions affecting the

anal region, requiring precise diagnosis and appropriate management strategies. The anatomy and physiology of the anus make it susceptible to various pathological conditions, many of which necessitate surgical intervention to alleviate symptoms, prevent complications, or improve quality of life. Understanding the pathology behind these conditions, as well as the surgical options available, is essential for healthcare professionals and patients alike to ensure effective treatment outcomes.

Understanding Anal Anatomy and Its Clinical Significance

Before delving into specific pathologies and treatments, it's important to understand the anatomy of the anal canal and surrounding structures, as this knowledge underpins the diagnosis and surgical approaches.

Key Anatomical Features

- **Anal Canal:** Approximately 2.5 to 4 cm in length, it connects the rectum to the perianal skin.
- **Sphincter Muscles:** Comprising the internal anal sphincter (smooth muscle) and external anal sphincter (skeletal muscle), these regulate continence.
- **Anal Cushions:** Vascular structures that contribute to continence and sensation.
- **Blood Supply and Innervation:** Rich vascularization and nerve supply are vital for normal function and healing.

Common Anal Pathologies Requiring Surgical Treatment

A multitude of conditions can affect the anus, many of which may require surgical intervention. Here, we review the most common pathologies, their clinical features, and surgical management options.

Hemorrhoids

Hemorrhoids are swollen venous cushions in the anal canal, classified into internal and external types.

Types and Symptoms

- **Internal Hemorrhoids:** Painless bleeding, prolapse during defecation.
- **External Hemorrhoids:** Pain, swelling, and thrombosis.

Surgical Options

- **Rubber Band Ligation:** For grade I?III internal hemorrhoids.
- **Hemorrhoidectomy:** Traditional excisional surgery for large or prolapsed hemorrhoids.
- **Stapled Hemorrhoidopexy:** Less painful, suitable for prolapsed hemorrhoids.

Anal Fissures

Chronic anal fissures are painful linear ulcers in the anoderm, often requiring surgical treatment when conservative measures fail.

Pathophysiology

Repetitive trauma and hypertonicity of the internal sphincter contribute to fissure persistence.

Surgical Management

- **Lateral Internal Sphincterotomy:** The most effective surgical procedure, involving division of the internal anal sphincter to reduce sphincter pressure.
- **Fissurectomy:** Excision of the fissure, sometimes combined with botulinum toxin injection.

Perianal Abscesses and Fistulas

These conditions often coexist, with abscess formation as an acute presentation and fistula-in-ano as a chronic sequel.

Pathology and Presentation

Perianal abscesses typically present with pain, swelling, and erythema, often requiring drainage. Fistulas are abnormal tracts connecting the anal canal to the perianal skin.

Surgical Management

- **Incision and Drainage:** For abscesses, urgent drainage is essential.
- **Fistulotomy:** Opening and laying open the fistula tract.
- **Seton Placement:** For complex fistulas to promote healing while minimizing sphincter damage.

Anal Neoplasms

Anal cancers, most commonly squamous cell carcinomas, require a multidisciplinary approach.

Diagnosis and Surgical Role

Biopsy confirms diagnosis. Surgical excision, often combined with chemoradiotherapy, is primary for localized tumors.

Types of Surgical Interventions

- **Wide Local Excision:** For small, superficial tumors.
- **Abdominoperineal Resection (APR):** For extensive or invasive cancers, involving removal of the anus, rectum, and surrounding tissues.

Pathological Conditions of the Anus

Beyond surgical conditions, various pathological processes affect the anal tissues, impacting function and requiring specific management.

Anal Incontinence

This condition involves loss of anal sphincter control, resulting from neurological damage, sphincter injury, or muscle degeneration.

Pathology and Diagnosis

Electromyography, imaging, and clinical assessment help identify sphincter defects or nerve injury.

Management Strategies

- **Sphincteroplasty:** Surgical repair of sphincter muscles.
- **Artificial Sphincters and Neurostimulation:** Advanced options for severe cases.
- **Conservative Measures:** Biofeedback therapy and pelvic floor exercises.

Anal Papillomas and Other Precancerous Lesions

Human papillomavirus (HPV) infection can lead to anal intraepithelial neoplasia (AIN), potentially progressing to cancer.

Diagnosis and Treatment

High-resolution anoscopy with biopsy is key. Treatment includes excision of lesions and close

surveillance.

Other Pathologies

Additional conditions affecting the anus include:

- **Condylomas:** Genital warts caused by HPV, treatable via topical agents or surgical removal.
- **Anal Gland Abscesses:** Often related to infection of the anal glands, requiring drainage.
- **Anal Crohn's Disease:** Inflammatory process affecting the anal region, sometimes necessitating surgical intervention for fistulas or strictures.

Surgical Techniques and Considerations

When planning surgical interventions in the anal region, several factors influence outcomes, including patient comorbidities, lesion size, location, and sphincter integrity.

Preoperative Assessment

Proper evaluation involves:

- Detailed history and physical examination.
- Imaging studies such as endoanal ultrasound or MRI to delineate sphincter and fistula anatomy.
- Biopsy for suspected neoplasms.

Postoperative Care and Complications

Effective postoperative management aims to minimize complications like infection, incontinence, or recurrence.

- Wound care and hygiene.
- Pain management.
- Monitoring for signs of infection or fistula formation.

Future Directions and Innovations in Anus Surgery and Pathology

Advancements in minimally invasive techniques, regenerative medicine, and targeted therapies continue to evolve the landscape of anal pathology management.

Emerging Techniques

- Laser therapies for anal warts and hemorrhoids.
- Stem cell therapy for sphincter reconstruction.
- Biological meshes and tissue engineering for complex fistulas.

Research and Clinical Trials

Ongoing studies aim to improve the understanding of anal pathologies, optimize surgical techniques, and develop effective non-surgical treatments.

Conclusion

The field of anal surgical treatment and pathology is dynamic and multifaceted, requiring a comprehensive understanding of anatomy, pathology, and surgical principles. From benign conditions like hemorrhoids and fissures to complex fistulas and neoplasms, tailored surgical interventions can significantly improve patient outcomes. Advancements in diagnostic imaging, minimally invasive procedures, and regenerative therapies promise a future of more effective and less invasive management options. Proper diagnosis, meticulous surgical technique, and diligent postoperative care are crucial for success in treating anal pathologies, ultimately enhancing quality of life for affected individuals.

Note: This article provides a comprehensive overview suitable for SEO purposes, covering various aspects of anus surgical treatment and pathology. For specific patient management, consultation with a colorectal specialist is recommended.

Anus Surgical Treatment and Pathology: A Comprehensive Guide

Understanding the complexities of anus surgical treatment and pathology is essential for healthcare professionals, patients, and caregivers alike. The anus, an integral part of the anorectal region, plays a critical role in continence and defecation. When pathology affects this area, surgical intervention often becomes necessary to restore function, alleviate symptoms, and improve quality of life. This guide aims to provide an in-depth overview of the common conditions affecting the anus, their surgical treatments, and the pathological considerations involved.

Anatomy and Physiology of the Anus

Before delving into pathologies and treatments, it's vital to understand the anatomical and physiological context of the anus.

- Anatomy: The anus is the terminal part of the gastrointestinal tract, approximately 2-4 cm long, comprising the internal and external anal sphincters, the anal canal, and the perianal skin.
- Physiology: It controls the retention and expulsion of feces through coordinated sphincter activity, rectal sensation, and neurological input.

Common Anorectal Pathologies Requiring Surgical Treatment

Several conditions can affect the anus, many of which necessitate surgical intervention. Here, we explore the most prevalent:

- Hemorrhoids

Definition: Swollen blood vessels in the anal cushions, classified as internal or external.

Pathology:

- Increased venous pressure
- Straining, chronic constipation
- Pregnancy
- Sedentary lifestyle

Symptoms:

- Bleeding
- Pain
- Prolapse
- Itching

Surgical Treatment Options:

- Hemorrhoidectomy: Traditional excision of hemorrhoidal tissue
- Stapled Hemorrhoidopexy: Uses a circular stapler to reposition hemorrhoids
- Rubber Band Ligation: For internal hemorrhoids
- Sclerotherapy: Injection of sclerosant agents

Considerations:

- Severity of hemorrhoids
- Patient comorbidities
- Preference and surgeon expertise

- Anal Fissures

Definition: Longitudinal tears in the anoderm distal to the dentate line.

Pathology:

- Often caused by trauma from hard stools
- Ischemia leading to chronicity

Symptoms:

- Sharp pain during defecation
- Bleeding
- Spasm of the internal anal sphincter

Surgical Treatment Options:

- Lateral Internal Sphincterotomy: Dividing a portion of the internal sphincter to reduce sphincter pressure
- Advancement Flaps: For chronic fissures with sentinel tags or mucosal bridges
- Botulinum Toxin Injection: Temporarily paralyzes sphincter to promote healing

Considerations:

- Fissure chronicity
- Presence of sentinel tags or hypertrophied papillae
- Patient's anal continence status

- Pilonidal Disease

Definition: Chronic infection or sinus formation in the natal cleft, often involving hair and debris.

Pathology:

- Hair penetration into the skin
- Chronic inflammation and abscess formation

Symptoms:

- Pain
- Swelling
- Recurrent abscesses

Surgical Treatment Options:

- Cyst/excision with primary closure
- Cleft lift procedure
- Fistula tracts excision

Considerations:

- Location and extent of disease
 - Recurrence prevention strategies
-
- Perianal Abscess and Fistula-in-Ano

Definition:

- Abscess: Localized collection of pus
- Fistula-in-Ano: Abnormal channel connecting the anal canal to perianal skin

Pathology:

- Obstruction or infection of anal crypt glands
- Inflammation leading to abscess formation and fistula tracts

Symptoms:

- Pain and swelling
- Purulent discharge
- Recurrent infections

Surgical Treatment Options:

- Drainage and Abscess Incision & Drainage (I&D)
- Fistulotomy: Opening the fistula tract
- Seton Placement: For complex fistulas
- Advancement Flaps: To close the internal opening in complex cases

Considerations:

- Fistula anatomy
- Risk of incontinence
- Underlying Crohn's disease or infections

Pathological Considerations in Anorectal Diseases

While many anorectal conditions are benign and inflammatory, some have malignant potential or require histopathological assessment:

- Anal Carcinoma

Types:

- Squamous cell carcinoma (most common)
- Adenocarcinoma
- Melanoma

Pathology:

- Often associated with HPV infection

- Present as ulcerative or exophytic lesions
- May invade surrounding tissues

Diagnosis:

- Biopsy
- Imaging (MRI, CT)
- Staging with TNM system

Treatment:

- Chemoradiotherapy
- Surgical excision (e.g., abdominoperineal resection) in advanced cases

- Other Malignant Lesions

- Basal cell carcinoma
- Melanoma
- Adenocarcinoma arising from anal glands

Importance of Histopathology: Essential for diagnosis, guiding treatment planning, and prognosis.

Surgical Techniques and Innovations

The surgical management of anorectal pathology has evolved significantly, with newer techniques aimed at reducing complications and improving outcomes.

Minimally Invasive Approaches

- Laser therapies for hemorrhoids
- Endoscopic procedures for fistula management
- Sphincter-preserving surgeries for complex fistulas

Advances in Anorectal Surgery

- Use of biological glues and fibrin sealants
- Application of advanced imaging for better surgical planning
- Tissue engineering and regenerative techniques

Postoperative Care and Complications

Proper postoperative management is crucial for successful outcomes:

Common Postoperative Care Measures:

- Pain control
- Sitz baths
- Stool softeners
- Hygiene and wound care

Potential Complications:

- Bleeding
- Infection
- Incontinence
- Recurrence
- Wound dehiscence

Monitoring and Follow-Up:

- Regular assessments
- Early detection of recurrence or complications
- Addressing functional or continence issues

Conclusion

The realm of anus surgical treatment and pathology encompasses a wide spectrum of conditions ranging from benign hemorrhoids and fissures to malignant tumors. An in-depth understanding of the anatomy, pathology, and available surgical options allows for tailored, effective interventions that can significantly improve patient outcomes. Advances in minimally invasive techniques and a multidisciplinary approach continue to shape the future of anorectal surgery, emphasizing the importance of personalized care, precise diagnosis, and comprehensive management strategies.

Whether you are a clinician seeking to refine your surgical approach or a patient navigating treatment options, understanding the intricacies of anus surgical treatment and pathology is key to making informed decisions and achieving optimal health outcomes.

Question What are the common indications for surgical treatment of anal pathology? Common indications include anal fissures unresponsive to medical therapy, hemorrhoids causing significant bleeding or prolapse, abscesses, fistulas, and certain anal tumors or malignancies requiring excision or reconstruction. **Answer** What are the different surgical options available for treating anal fistulas? Surgical options include fistulotomy, seton placement, advancement flap procedures, LIFT (Ligation of Intersphincteric Fistula Tract), and endorectal advancement flaps, chosen based on fistula complexity and sphincter involvement. How is anal carcinoma diagnosed and treated surgically? Diagnosis is typically confirmed via biopsy of the lesion. Surgical treatment may involve local excision for early-stage tumors, with more advanced cases requiring abdominoperineal resection (APR) or other oncologic surgeries, often combined with chemoradiotherapy. What are the potential complications of anal surgical procedures? Potential complications include infection, bleeding, incontinence, anal stenosis, wound dehiscence, and recurrence of the underlying pathology. Proper surgical technique and postoperative care are essential to minimize these risks. How can pathology results guide the management of anal lesions? Pathology determines the nature of the lesion?benign or malignant?and its characteristics, guiding further treatment decisions such as the need for additional surgery, chemoradiation, or surveillance protocols.

Related keywords: anal surgery, hemorrhoids, anal fissure, anal fistula, anorectal abscess, anal polyps, anal tumors, rectal cancer, anal manometry, sphincteroplasty

Read the full article online: [ANUS SURGICAL TREATMENT AND PATHOLOGY](#)